

# Immunology Referral Form (Sub-QIG & IVIG)

Fax #: \_\_\_\_\_

## Patient Information

Patient Name: \_\_\_\_\_ Date: \_\_\_\_\_ SS#: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone(day): \_\_\_\_\_ Phone (night): \_\_\_\_\_ DOB: \_\_\_\_\_

Sex: Male \_\_\_\_\_ Female \_\_\_\_\_ Height \_\_\_\_\_ Weight \_\_\_\_\_ Medication Needed By: \_\_\_\_\_

Rx Insurance: \_\_\_\_\_ ID #: \_\_\_\_\_ Group #: \_\_\_\_\_ Phone: \_\_\_\_\_

Medical Insurance: \_\_\_\_\_ ID #: \_\_\_\_\_ Group #: \_\_\_\_\_ Phone: \_\_\_\_\_

## Medical Assessment

Diagnosis (ICD-10):

- |  |   |
|--|---|
| <input type="checkbox"/> Common Variable Immune Deficiency (D83.9)               | <input type="checkbox"/> Selective IgA Immunodeficiency (D80.2)   |
| <input type="checkbox"/> Common Immunity Deficiency & SCID (D80.4)               | <input type="checkbox"/> Selective IgM Immunodeficiency (D80.4)   |
| <input type="checkbox"/> Congenital Hypogammaglobulinemia (D80.0)                | <input type="checkbox"/> Other Selective Immunodeficiency (D80.3) |
| <input type="checkbox"/> Hypogammaglobulinemia (D80.1)                           | <input type="checkbox"/> Wiscott – Aldrich Syndrome (D82.0)       |
| <input type="checkbox"/> Immunodeficiency with Increased IgM (D80.5)             | <input type="checkbox"/> Other: _____                             |
| <input type="checkbox"/> Immunodeficiency with Predominant T-Cell Defect (D83.1) |   |

Allergies: \_\_\_\_\_ Vascular Access:  Peripheral  PICC  Port  Other: \_\_\_\_\_

Is this the first dose?  Yes  No If No, date first dose given: \_\_\_\_\_ Target Start Date: \_\_\_\_\_

## Medication

Patient Current Weight: \_\_\_\_\_ lbs

**Hizentra**  Infuse \_\_\_\_\_ grams via Freedom 60 pump divided into # \_\_\_\_\_ doses monthly. Refills: \_\_\_\_\_

Other Regimen: \_\_\_\_\_

### Administer IVIG

Product:  Pharmacist to Determine (or)  Brand: \_\_\_\_\_

#### Dosage:

- Loading Dosage: Infuse \_\_\_\_\_ grams /kg via pump over \_\_\_\_\_ days.
- Maintenance Dosage: Infuse \_\_\_\_\_ grams/kg via pump every \_\_\_\_\_ weeks Refills: \_\_\_\_\_
- Other Regimen: \_\_\_\_\_

**Anaphylactic Reactions:** Kits will be provided containing the following items.

**Sub-Q IG:** Epipen 0.3mg / 0.3 ml Auto Injector

SIG: U.D. PRN Anaphylaxis

or

**IVIG:** Epinephrine vial 1:1000 (1mg / ml) syringe, Diphenhydramine 25 mg capsules and 50 mg / ml 1 ml, 0.9% NaCL 500 ml bag

SIG: U.D. PRN Anaphylaxis

### Flushing Protocol:

**Adult** - Normal Saline (5ml) Sig: 3-5 ml IV pre / post + prn -and- Heparin 100 units / ml (5ml) Sig: 3-5 ml IV post

**Child** - Normal Saline (5ml) Sig: 3-5 ml IV pre / post + prn -and- Heparin 10 units / ml Sig: 3ml IV post

### Pretreatment Orders:

\_\_\_\_ APAP \_\_\_\_ 325mg or \_\_\_\_ 500mg PO 15-30 minutes before infusion.

\_\_\_\_ Diphenhydramine 25mg PO 15-30 minutes before infusion.

\_\_\_\_ Aspirin 325mg PO 15-30 minutes before infusion.

\_\_\_\_ Other: \_\_\_\_\_

**\*\*\*Please include a copy of the patient's Rx insurance card, face sheet, recent clinical assessment notes, and current medication list\*\*\***

## Physician Prescription Orders

Physician Name: \_\_\_\_\_ NPI #: \_\_\_\_\_ Nurse: \_\_\_\_\_ Date: \_\_\_\_\_

Address: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Physician Signature: \_\_\_\_\_

Substitution permitted